



**Electrolux S.E.A. Pte Ltd**  
1 Fusionopolis Place, Galaxis  
#07-10, Singapore 138522  
Tel: +65 6727 3699  
[www.electrolux.com.sg](http://www.electrolux.com.sg)

**INNOVATIVE WINE STORAGE SOLUTIONS**



Authorised Dealer

Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of print, it should not be regarded as an infallible guide to current specification. Electrolux S.E.A. Pte Ltd reserves the rights to alter the information or specification without prior notice. Electrolux S.E.A. Pte Ltd excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

## 01 / TECHNOLOGIES

The quality of the materials, the innovative technology and the contemporary design make Vintec wine cellars the ideal solution for safeguarding your precious collection.

### Humidity

High humidity will cause molds whereas low humidity will cause corks to dry out. Vintec wine cellars are equipped with a system that recycles water from condensation, ensuring ideal humidity conditions for your wine.

### Temperature

All wines mature at the same temperature, which is a constant temperature set between 12°C to 16°C. Vintec presents a wide range of wine cellars offering single, dual and multi-temperature models to meet your cellaring needs.

### Natural Ventilation

In order to prevent mould growth, which would generate bad odour and risk deteriorating the corks. Vintec provides natural permanent ventilation, introducing renewed air from the ambience into the cellar through an "air circulation" effect.

### Vibration-Free

Slow, balanced-cycle compressors and wooden shelves are equipped in the Vintec wine cellars to reduce vibration to the minimum.

### UV Protection

Light and UV rays rapidly destroy your wines by oxidizing the tannins. Vintec wine cellars safeguard your fine wines from harmful light and UV rays with solid plain door or anti-UV treated glass door options.

02  
**NOIR**  
Borderless Black Glass

Collaborating with architects and interior designers - to achieve a new purity of the design with no visible handles and new minimalistic glass door, we present the new Noir Series. Borderless black glass door with Crystal white LED lighting.

Crystal White  
LED Light

Charcoal Filter  
(V190SG2e BK only)

Digital  
Temperature

Lock



Vintec's hallmark expertise has engineered and designed a wine cabinet that stores your wines for the mid-to long-term in optimum cellaring conditions. The Allure series consumes less energy, maximizing energy efficiency, and reduces impact on the environment.

Digital Temperature



Charcoal Filter



Crystal White LED Light

Lock  
(ALV190SG2E and ALV150SG2E only)



Pictures shown are for illustration purposes only



The Vintec Classic series allow for the utmost ease of preserving and serving your carefully chosen wines. With Vintec wine cabinets, your restaurant or cellar space is not only beautiful, but exceptionally functional as well.



Pictures shown are for illustration purposes only

# Guide to Choosing Your Wine Cabinet

## 1 BOTTLE CAPACITY

**SMALL**  
30-40

**MEDIUM**  
50-130

**LARGE**  
130-190

## 2 FUNCTION



Since all wines cellar at the same temperature (12-14°C), a single-zone wine cabinet is ideal for storing and cellaring. Alternatively, a single-zone cabinet can be used to keep white wines at drinking temperature of 6-8°C or red wines at 16-18°C



A Dual-Zone wine cabinet is ideal for keeping both reds and whites at perfect drinking temperatures. Set the top compartment at 6-8°C for whites and champagne, and the bottom at 16-18°C for reds. Alternatively, the bottom compartment can be set at 12-14°C for cellaring.



VINTEC versatile Multi-Temp technology is designed for serving different styles/varietals at their perfect individual drinking temperatures. For instance, setting the bottom at 6°C and top at 18°C generates a temperate perfect for both white and red wine.

## 3 DESIGN



As a general rule, white wines should be served chilled and red wines at room temperature. However, if you abide by this simple rule you'll probably never get to really enjoy your wine at its best.

Each wine style has an ideal serving temperature



**SERVED BELOW ideal temperature**

tannins will be harsher; bitterness and acidity will be accentuated.

6-8°C	7-8°C	8-10°C	10-12°C	12-13°C	14-16°C	17-19°C
Sauvignon Blanc, Pinot Gris, Non Vintage Champagnes, Ice Wines	Dessert wines	Riesling, Verdelho, Vintage Champagnes	Roses, Semillon, Viognier, Sauternes	Full-bodied whites (Grand Cru Burgundies, Chardonnays)	Lighter-bodied reds (Burgundies, Pinot Noir, Merlot)	Full-bodied reds (Bordeaux, Napa Cabs, Shiraz, Zinfandel)

**SERVED ABOVE ideal temperature**

aromas are stripped of their finesse and hidden by a sensation of alcohol.



**V30SGME**



Series	<b>Classic</b>
Capacity (Max. No of bottles)*	<b>30</b>
Temperature / Zone	<b>5°C - 18°C</b>
No. of Shelves	<b>4</b>
Cabinet Lock	<b>No</b>
Digital or Analog	<b>Digital</b>
Weight	<b>38kg</b>
Dimension: H x W x D (mm)	<b>840 x 493 x 590</b>



**V30SGMEBK**



Series	<b>Noir</b>
Capacity (Max. No of bottles)*	<b>30</b>
Temperature / Zone	<b>6°C - 18°C</b>
No. of Shelves	<b>4</b>
Cabinet Lock	<b>No</b>
Digital or Analog	<b>Digital</b>
Weight	<b>44kg</b>
Dimension: H x W x D (mm)	<b>840 x 493 x 590</b>



**ALV30SG2E**



Series	<b>Allure</b>
Capacity (Max. No of bottles)*	<b>30</b>
Temperature / Zone	<b>5°C - 10°C (upper) / 10°C - 18°C (lower)</b>
No. of Shelves	<b>5</b>
Cabinet Lock	<b>No</b>
Digital or Analog	<b>Digital</b>
Weight	<b>44kg</b>
Dimension: H x W x D (mm)	<b>840 x 493 x 590</b>

\*Note: Capacity is based on Bordeaux type bottle 0.75 litres and subject to the no. of shelves and display pattern. Pictures shown are for illustration purposes only.

## VINTEC SMALL CABINETS (40 BOTTLES)



### V40SGEBK SLOT-IN



Series	<b>Noir</b>
Capacity (Max. No of bottles)*	<b>40</b>
Temperature / Zone	<b>6°C -18°C</b>
No. of Shelves	<b>5</b>
Cabinet Lock	<b>Yes</b>
Digital or Analog	<b>Digital</b>
Weight	<b>44kg</b>
Dimension: H x W x D (mm)	<b>820 x 595 x 573</b>




### V40SGES3 SLOT-IN



Series	<b>Seamless Stainless Steel</b>
Capacity (Max. No of bottles)*	<b>40</b>
Temperature / Zone	<b>6°C -18°C</b>
No. of Shelves	<b>5</b>
Cabinet Lock	<b>Yes</b>
Digital or Analog	<b>Digital</b>
Weight	<b>44kg</b>
Dimension: H x W x D (mm)	<b>820 x 595 x 573</b>

### V40 S3/BK Models Installation Guide



Pictures shown are for illustration purposes only.

## VINTEC SMALL CABINETS (40 BOTTLES)



### ALV40SGE SLOT-IN



Series	<b>Allure</b>
Capacity (Max. No of bottles)*	<b>40</b>
Temperature / Zone	<b>5°C -18°C</b>
No. of Shelves	<b>5</b>
Cabinet Lock	<b>No</b>
Digital or Analog	<b>Digital</b>
Weight	<b>44kg</b>
Dimension: H x W x D (mm)	<b>820 x 595 x 573</b>




### ALV40SG2E SLOT-IN



Series	<b>Allure</b>
Capacity (Max. No of bottles)*	<b>40</b>
Temperature / Zone	<b>5°C -10°C (upper) / 10°C -18°C (lower)</b>
No. of Shelves	<b>4</b>
Cabinet Lock	<b>No</b>
Digital or Analog	<b>Digital</b>
Weight	<b>48kg</b>
Dimension: H x W x D (mm)	<b>820 x 595 x 573</b>

### ALV40 Models Installation Guide



\*Note: Capacity is based on Bordeaux type bottle 0.75 litres and subject to the no. of shelves and display pattern. Pictures shown are for illustration purposes only.

## VINTEC BIG CABINETS (90-120 BOTTLES) Single Temperature



### V120SG

	Series	<b>Classic</b>
	Capacity (Max. No of bottles)*	<b>90</b>
	Temperature / Zone	<b>5°C -18°C</b>
	No. of Shelves	<b>5</b>
	Cabinet Lock	<b>Yes</b>
	Digital or Analog	<b>Analog</b>
	Weight	<b>65kg</b>
	Dimension: H x W x D (mm)	<b>1550 x 595 x 595</b>

## VINTEC BIG CABINETS (155 BOTTLES) Multi-Temperature



### ALV190SG2E

	Series	<b>Allure</b>
	Capacity (Max. No of bottles)*	<b>155</b>
	Temperature / Zone	<b>5°C -22°C</b>
	No. of Shelves	<b>6</b>
	Cabinet Lock	<b>Yes</b>
	Digital or Analog	<b>Digital</b>
	Weight	<b>83kg</b>
	Dimension: H x W x D (mm)	<b>1850 x 595 x 595</b>



### V160SG

	Series	<b>Classic</b>
	Capacity (Max. No of bottles)*	<b>120</b>
	Temperature / Zone	<b>5°C -18°C</b>
	No. of Shelves	<b>6</b>
	Cabinet Lock	<b>Yes</b>
	Digital or Analog	<b>Analog</b>
	Weight	<b>75kg</b>
	Dimension: H x W x D (mm)	<b>1850 x 595 x 595</b>



### V190SG2EBK

	Series	<b>Noir</b>
	Capacity (Max. No of bottles)*	<b>155</b>
	Temperature / Zone	<b>5°C -22°C</b>
	No. of Shelves	<b>6</b>
	Cabinet Lock	<b>Yes</b>
	Digital or Analog	<b>Digital</b>
	Weight	<b>83kg</b>
	Dimension: H x W x D (mm)	<b>1850 x 595 x 595</b>

## VINTEC SMALL CABINETS (Specification)



	V30SGME	V30SGMEBK	ALV30SG2E
Series	Classic	Noir	Allure
Type	Small Cabinet	Small Cabinet	Small Cabinet
Capacity (Max. No of bottles)	30	30	30
Temperature / Zones	5°C -18°C	6°C -18°C	5°C -10°C / 10°-18°C
No. of Shelves	4	4	5
Cabinet Lock	No	No	No
Digital or Analog	Digital	Digital	Digital
Weight	38kg	44kg	44kg
Dimension: H x W x D (mm)	840 x 493 x 590	840 x 493 x 590	840 x 493 x 590
Single Temperature	✓	✓	✓
Dual Temperature			
Multi Temperature			
Monitor Alarm			
Security Thermostat			
Lock			
Double Layer Glass Door	✓	✓	✓
Crystal White LED			✓
Crystal Blue LED			✓
Digital Display & Temperature Control		✓	✓
Under Counter Slot-In			

## VINTEC BIG CABINETS (Specification)



	V120SG / V160SG	ALV190SG2E	V190SG2EBK
Series	Classic	Allure	Noir
Type	Big Cabinet	Big Cabinet	Big Cabinet
Capacity (Max. No of bottles)	90 / 120	155	155
Temperature / Zones	5°C -18°C	5°C -22°C	5°C -22°C
No. of Shelves	5 / 6	6	6
Cabinet Lock	Yes	Yes	Yes
Digital or Analog	Analog	Digital	Digital
Weight	65kg / 75kg	83kg	83kg
Dimension: H x W x D (mm)	1550 x 595 x 595 / 1850 x 595 x 595	1850 x 595 x 595	1850 x 595 x 595
Single Temperature	✓		
Dual Temperature			
Multi Temperature		✓	✓
Monitor Alarm		✓	✓
Security Thermostat	✓	✓	✓
Lock	✓	✓	✓
Double Layer Glass Door	✓	✓	✓
Crystal White LED		✓	✓
Crystal Blue LED			✓
Digital Display & Temperature Control		✓	✓
Under Counter Slot-In			



	ALV40SGE	ALV40SG2E	V40SGEBK	V40SGES3
Series	Allure	Allure	Noir	Seamless Stainless Steel
Type	Small Cabinet	Small Cabinet	Small Cabinet	Small Cabinet
Capacity (Max. No of bottles)	40	40	40	40
Temperature / Zones	5°C -18°C	5°C -10°C / 10°C -18°C	6°C -18°C	6°C -18°C
No. of Shelves	5	4	5	5
Cabinet Lock	No	No	Yes	Yes
Digital or Analog	Digital	Digital	Digital	Digital
Weight	44kg	48kg	44kg	44kg
Dimension: H x W x D (mm)	820 x 595 x 573	820 x 595 x 573	820 x 595 x 573	820 x 595 x 573
Single Temperature	✓		✓	✓
Dual Temperature		✓		
Multi Temperature				
Monitor Alarm				
Security Thermostat				
Lock			✓	✓
Double Layer Glass Door	✓	✓	✓	✓
Crystal White LED	✓	✓	✓	✓
Crystal Blue LED				✓
Digital Display & Temperature Control	✓	✓	✓	✓
Under Counter Slot-In	✓	✓	✓	✓

Pictures shown are for illustration purposes only.



\*Note: Capacity is based on Bordeaux type bottle 0.75 litres and subject to the no. of shelves and display panel.  
 \*\* Note: Default door orientation is Right hinge with left opening.  
 Preference of Left hinge model must be made known upon ordering and is subjected to availability.  
 Pictures shown are for illustration purposes only.

