

Refrigeration

Confidence to create great taste





Our belief

We believe it's time for a taste revolution.

By changing the way we source, treat and eat food, we can improve the effects on both our health and our planet. Even small changes in behavior can make a big impact for the better. Because few things are more pleasurable than sharing a delicious meal. That's why we champion those who are passionate about taste and want to cook and enjoy more mindfully.

Swedish thinking. Better living.

Streamlined simplicity

A fridge should be a statement in your kitchen and Electrolux makes sure it's one of the most striking features in your kitchen. Ours are available in different colours for different ranges – dark stainless steel, arctic silver, high gloss black or champagne gold for a seamless and elegant look.

Keep it cool

The fridge door is one of the most opened in any household, which is why we came up with EvenTemp technology to help maintain the perfect temperature inside your fridge. It automatically detects when it needs to begin cooling, keeping the temperature down to lock the freshness in.

Energy Efficiency

Make an impact on your energy bill, your energy consumption and most importantly the environment. Thoughtfully designed inside and out, the Electrolux NutriFresh® refrigeration range offers energy efficient and an outstanding performance without comprise. That means lower running costs for you and a smaller footprint for the environment.

Thirst-quencher*

Our water dispenser models allow you to effortlessly grab a chilled glass of water directly through the fridge door. And with a 4L water tank you can pour 16 glasses** of water before needed to refill.

> *Available on selected models. ** Based on metric cup of 250ml.





Multi-door features

Intuitive door design

With optimally split doors you have more usable space in your refrigerator door and can

Fresh is best

Our innovative TasteLock crispers automatically control the humidity levels to keep your fruit and vegetables at their best for longer. While Easy-glide crisper drawers

Thirst-quencher

Like a cool glass of pure, filtered water on deliver, any time of the day or night - at the

Smart on space

The thoughtful Slide-back and Flip-up shelving

SnackZone

the week begins.





UltimateTaste 900 Multi Door Refrigerator

EHE6879A-B 541L

Dark stainless steel

Overall dimensions

913W x 1782H x 746D (mm)

• 5 preset temperature

- TasteLockAuto
- TwinTech cooling
- · Water & Ice dispenser
- Flip Up Shelf

Features

- · TasteGuard deodoriser
- UltraChill @-2°C
- FlexStor

No More Compromises

fresh vegetables, to tender meat and fish, or cold drinks and ice-cream. You can always find the right space to keep your food fresh and full of flavour by choosing from a range of preset of temperature.

UltimateTaste 700 French Door Refrigerator	Overall dimensions
EHE5224B-A 474L Arctic silver	796W x 1725H x 773D (mm)





Ultimo	iteTas	te 300
Three	Door	Refrigerator

EME3700H-A 337L Arctic silver



or	Overall dimensions	
	598W x 1855H x 650D (mm)	

Features

- · TasteSealPlus -12°C to 3°C
- EvenTemp

Features

 TasteLockPlus Autolce

EvenTemp

ChillRoom

FlexStor

• Door alarm

TasteGuard deodoriser

NutriFresh inverter

- TasteGuard deodoriser
- TasteLock
- · Twist and Serve ice maker
- FlexStor
- NutriFresh inverter



UltimateTaste 700 Side by Side Refrigerator

Overall dimensions

R.Z

911W x 1780H x 706D (mm)

TasteGuard deodoriser

CC-

ALC: NOT THE ALC: No.

-

新田市

-

Features






10

We protect food quality by delivering on the 3 key elements of preservation







Sealed environment

Tender meat and delicious seafood, always stored and cooked from fresh. The TasteSeal compartment maintains a consistent temperature of -2°C to keep your best ingredients in prime condition for up to 7 days* without freezing. This means that you can always cook from fresh to serve meat and seafood that is juicy in texture, bright in colour, and delicious in taste.

* Passed TUV Rheinland testing of microbiology plate count in salmon, chicken, and bee Average weight loss <2% after 7 days. Sample tested EBB3702K.</p> TASTELOCKAUTO







Right humidity

TasteLockAuto maintains a humid environment to keep fruits and vegetables fresh and bursting with flavour for up to 7 days.

This membrane is spun HDPE threads that are pressed to form a sheet which allows water vapour and gases to pass through

Stable temperature

EvenTemp keeps your food tasty for longer by minimising temperature fluctuations. By cooling each shelf individually, a consistent temperature is maintained throughout the entire compartment, preserving taste and texture for longer.

Overall dimensions	Features
796W x 1825H x 727D (mm)	• TasteLockPlus
	• EvenTemp
	ChillRoom
	TasteGuard deodoriser
	FlexStor
	NutriFresh inverter
	QuickChill
419 44200	
	796W x 1825H x 727D (mm)

Тор	Freezer	Refrigerator

ETB5400B-A 503L Arctic silver

14

Overall dimensions		
796W x 1725H x 723D (mm)		

- TasteLockPlus
- EvenTemp

Features

- ChillRoom
- TasteGuard deodoriser
- FlexStor
- NutriFresh inverter
- QuickChill





UltimateTaste 500 Top Freezer Refrigerator	Overall dimensions
ETB4600B-A 431L Arctic silver	699W x 1725H x 730D
×	

5H x 730D (mm)

TasteLockPlus

EvenTemp

Features

- ChillRoom
- · TasteGuard deodoriser
- FlexStor
- NutriFresh inverter
- QuickChill



UltimateTaste 500	
Top Freezer Refrigerator	

Overall dimensions

EBE4500B-A 421L

Arctic silver

EBE4500B-G 421L Champagne gold

699W x 1725H x 723D (mm)

699W x 1725H x 723D (mm)

- Features
- TasteLockPlus
- EvenTemp
- Spacious freezer
- · TasteGuard deodoriser
- FlexStor
- NutriFresh inverter
- · Twist and Serve ice maker
- QuickFreeze



15

bottom mount	UltimateTaste 300 Top Freezer Refrigerator	Overall dimensions	Features
bott	ETB3740K-A 338L Arctic silver	598W x 1,756H x 650D (mm)	 TasteSeal -2°C TasteLockAuto
			 Water Dispenser
			• EvenTemp
			 TasteGuard deo
	<u></u>		 TasteSeal metal
			 Twist and Serve
			 NutriFresh inverte
	EI.	1993 - 2020	

atures
asteSeal -2°C
asteLockAuto
Vater Dispenser
venTemp
asteGuard deodoriser
asteSeal metal tray
wist and Serve ice maker
lutriFresh inverter

UltimateTaste 300 Top Freezer Refrigerator		

ETB3400K-A 310L Arctic silver

ETB3400K-H 310L High Gloss Black

598W x 1645H x 650D (mm)

598W x 1645H x 650D (mm)

Overall dimensions

EvenTemp

Features

TasteSeal -2°C

TasteLockAuto

- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- NutriFresh inverter

UltimateTaste 300

向

bottom freezer refrigerator

Overall dimensions	

598W x 1756H x 650D (mm)

TasteSeal -2°C

Features

- TasteLockAuto
- Water Dispenser
- EvenTemp
- TasteGuard deodoriser
- TasteSeal metal tray
- · Twist and Serve ice maker
- NutriFresh inverter

UltimateTaste 300 bottom freezer refrigerator

EBB3402K-A 306L

Arctic silver

Overall dimensions

598W x 1646H x 650D (mm)

TasteSeal -2°C TasteLockAuto

EvenTemp

Features

- TasteGuard deodoriser
- TasteSeal metal tray
- Twist and Serve ice maker
- Spacious Freezer
- NutriFresh inverter







UltimateTaste 300 Top Freezer Refrigerator	Overall dimensions	Features		
ETB2802J-A 255L	540W x 1605H x 615D (mm)	• TasteSeal -2°C		
Arctic silver		. TasteLock		
		• EvenTemp		
		TasteGuard deodoriser		
		. Twist and Serve ice maker		
6		NutriFresh inverter		
		FlexStor		
	4444			
	1199 402 mm			

e door	92L UltimateTaste 300 Bar Fridge
single	EUM0900S-A 92L Arctic silver

Overall dimensions				
/.7/.W/ × 831H × /.730				

- 7 Manual Control Lev
- Vegetable Crisper
- Freezer Compartment
- Ice tray, egg tray
- Tempered Glass Shelves





While the information is considered to be true and correct at the date of printing, changes in circumstances after the time of publication may impact on the accuracy of the information. Information may change without notice and Electrolux is not liable for the accuracy of any information printed or stored by a user.





	ETB2802J-A	ETB3400K-A	ETB3400K-H	ETB3740K-A	ETB4600B-A	ETB5400B-A	ETE5720B-A
specifications							
gross capacity (litres)	275	331	331	360	460	536	573
net capacity (litres)	255	310	310	338	431	503	537
fridge / freezer (litres)	193 / 62	237 / 73	237 / 73	265 / 73	329 / 102	383 / 120	403 / 134
door colour	arctic silver	arctic silver	high gloss black	arctic silver	arctic silver	arctic silver	arctic silver
door alarm	yes						
refrigerant	R600a						
energy raling	2 ticks	2 ticks	2 ticks	2 ticks	3 ticks	3 ticks	3 ticks
fridge features							
chiller	TasteSeal	TasteSeal	TasteSeal	TasteSeal	Chill room	Chill room	Chill room
crisper	TasteLock	TasteLockAuto	TasteLockAuto	TasteLockAuto	TasteLockPlus	TasteLockPlus	TasteLockPlus
cooling system	EvenTemp						
inverter compressor	yes						
water dispenser				4L tank			
ice maker	Twist & serve	Autolce					
tasteguard	yes						
flexstor	yes				yes	yes	yes
others							
product dimension (mm)	540W x 1605H x 615D	598W x 1645H x 650D	598W x 1645H x 650D	598W x 1756H x 650D	699W x 1725H x 723D	796W x 1725H x 723D	796W x 1825H x 727D













	EUM0900S-A	EBB3402K-H	EBB3742K-A	EBE4500B-G	EBE4500B-A	EME3700H-A	EHE5224B-A	EHE6879A-B	ESE6101A-BSG
specifications									
gross capacity (litres)	92L	331	360	453	453	363	524	680	610
net capacity (litres)	85L	306	333	421	421	337	491	617	577
fridge / freezer (litres)	79 / 6	222 / 84	249 / 84	311 / 142	311 / 142	210 / 52 / 75	347 / 144 / NA	378 / 164 / 74	381 / 196
door colour	arctic silver	arctic silver	arctic silver	champagne gold	arctic silver	arctic silver	arctic silver	dark stainless steel	matt black
door alarm	yes	yes	yes	yes	yes	yes	yes	yes	yes
refrigerant	R600a	R600a	R600a	R600a	Ró00a	R600a	R600a	R600a	R600a
energy rating	2 ticks	2 ticks	2 ticks	3 ticks	3 ticks	2 ticks	3 ticks	2 ticks	2 ticks
fridge features									
chiller		TasteSeal	TasteSeal	-	-	TasteSealPlus	Chill room	TasteSealFlex	
crisper		TasteLockAuto	TasteLockAuto	TasteLockPlus	TasteLockPlus	TasteLock	TasteLockPlus	TasteLockAuto	TasteLock
cooling system		EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	EvenTemp	TwinTech	EvenTemp
inverter compressor		yes	yes						
water dispenser			4L tank	-	-			tank	
ice maker		Twist & serve	Autolce	Autolce	Twist & serve				
tasteguard		yes	yes						
flexstor				yes	yes	yes	yes	yes	
others									
product dimension (mm)	474W x 831H x 473D	598W x 1646H x 650D	598W x 1756H x 650D	699W x 1725H x 723D	699W x 1725H x 723D	598W x 1855H x 650D	796W x 1725H x 773D	913W x 1782H x 746D	911W x 1780H x 706D

_____ 21





side view


top mount


(in mm)	w	d	dl	h	с	c1	c2	c3
ETB2802J-A	540	615	540	1605	350	30	50	90
ETB3400K-A / H	598	650	575	1,645	350	30	50	90
ETB3740K-A	598	650	575	1,756	350	30	50	90
ETB4600B-A	699	7 30	641	1,725	350	30	50	90
ETB5400B-A	796	723	641	1,725	350	30	50	90
ETE5720B-A	796	727	641	1,825	350	30	50	90


bottom mount

(in mm)	w	d	dl	h	с	cl	c2	c3
EBB3402K-A	598	650	575	1,646	350	30	50	90
EBB3742K-A	598	650	575	1,756	350	30	50	90
EBE4500B-A / G	699	723	641	1,725	350	30	50	90

multi door								
(in mm)	w	d	dl	h	с	cl	c2	c3
EME3700H-A	598	650	575	1,855	350	30	50	90







when the refrigerator is placed in corner area


side view

multi door

(in mm)	w	d	dl	h	cL	cR	c1	c2	c3
EHE5224B-A	796	773	641	1,725	350	350	30	50	90
EHE6879A-B	913	746	625	1,782	220	310	30	50	90

w

top view



c2 top view

when the refrigerator is placed in corner area

side by side

(in mm)	w	d	dl	h	cL	cR	cl	c2	c3	
ESE6101A-BSG	911	706	-	1,780	350	430	30	50	90	



Electrolux SEA Pte Ltd

address:	351 Braddell, #01-04 351 On Braddell, Singapore 579713
telephone:	(+65) 6727 3699
website:	electrolux.com.sg
e-mail:	customer-care.sin@electrolux.com
facebook:	facebook.com/ElectroluxSingapore
instagram:	instagram.com/electrolux_singapore



Information and specification are accurate at the time of print and subject to change without prior notice

